FROM-BEUSSE WOLTER ET AL

T-582 P.01

BEUSSE WOLTER SANKS MORA & MAIRE, P.A.

FACSIMILE TR	ANSMITTAL SHEET	REGEIVEH GENTRAL FAT GENT
Examiner: Jacqueline A. Diramio	FROM:	JUL 1 0 2006
	Ferdinand M. Romano)
	Tel: 407-926-7722	
	Fax: 407-926-7720	
OMPANY: U.S. Patent Office	July 10, 2006	
AX NUMBER:	TOTAL NO. OF PAGES INCLUDING	COVER
(571) 273-8300	18	
HONE NUMBER. 1-866-217-9197	sendek's reference number. 10442-004	
Re: Application: Portable Diagnostic Device And Method For Determining Temporal Variations In Concentrations The Concentrations of the Concentrations The Concentration of the Concentrations of the Concentration	YOUR REPERINCE NUMBER: 10/530,464 DMMENT: PLEASE REPLY	□ please recycle
OTES/COMMENTS: Attached find a complete response to the on April 10, 2006. Please confirm receipt.	e Office Action in Ser. No.	10442-004, mailed
The information in this facsimile transmission is in addressed and may contain information that is per Evidence 408, or otherwise exempt from disclosuransmission is not the intended recipient or the exothe intended recipient, you are hereby nonfied tommunication is strictly prohibited. If you have a minediately nonfy us by telephone, at (407) 926-7 Thank you.	vileged, confidential, subject to Fe re under applicable law. If the rec mployee or agent responsible for that any dissemination, distributio received this communication in er	ederal Rule of ipient of this facsimile delivering the message n, or copying of this

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

HEGEIVER GENTRAL FAX GENTER

Inventor:

Tara Nylese

Attorney Docket No. 10442-004

4079267720

JUL 1 0 2006

Application No.: 10/530,464

Art Unit: 1641

Filed:

04/05/2005

Examiner: Jacqueline A. Diramio

Portable Diagnostic Device And Method For Determining Temporal

Variations In Concentrations

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

July 10, 2006

AMENDMENT

Sir:

This paper is in response to the Office Action, dated as mailed April 10, 2006. Please proceed to the following page.